



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	---	-	-	-


UNDER REVIEW
URF 19-1194 19.11.01 (VM)



ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.	RED BARN MACHINE			
									TITLE GAP CHECKING GAUGE			
									DWG NO. H-LTCT30333 REV -			
									UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			
									TOLERANCES ON:			
									DECIMALS .XXX ± .004 METRIC .X ± .1mm			
									.XX ± .01 FRACTIONS ± 1/32			
									.X ± .1 ANGLES ± 5°			
									UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R			
									2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
									SCALE NTS DATE 11-13-09 SHEET 1 of 4			
1			-01	1	BASE	A-36	1-1/4 x 1-1/2 x 3-1/2	2	DRAWN BY: PERRITT APPROVED HEAT TREAT - FINISH BLACK OXIDE SPEC USED ON MODEL HONEYWELL ENGINES			
			-03	1	WELDMENT	-	-	3				
			-05		KNOB	1018	Ø3/8 x 3/4	4				
			-07		PLATE	1018	3/16 x 3/8 x 1	4				
			-09	1	GAUGE PIN	-	Ø.062 x 2 MSC #8900620?	3				
			-	-	-	-	-	-				
	ASSY #											

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	--	-	-	-



ENGRAVE TOOL No.,
SERIAL No., AND
"MADE IN USA", TO FIT.

UNDER REVIEW

URF 19-1194 19.11.01 (VM)

NOTES

1. ALL STANDARD DIMENSIONAL TOLERANCE ARE TO BE $\pm .004$ UNLESS OTHER WISE SPECIFIED. ORIGINAL TOOL DRAWINGS WERE IN METRIC WITH ± 0.1 TOLERANCE UNLESS OTHER WISE SPECIFIED.

RED BARN MACHINE

TITLE **GAP CHECKING GAUGE; BASE**

DWG NO. **H-LTCT30333-01**

REV
-

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ON:
DECIMALS .XXX $\pm .004$
.XX $\pm .01$
.X $\pm .1$
METRIC
.X $\pm .1$ mm
FRACTIONS $\pm 1/32$
ANGLES $\pm 5^\circ$

DRAWN BY: **PERRITT**
APPROVED
HEAT TREAT
FINISH SPEC **BLACK OXIDE**


UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES
.015 x 45° PR .015 R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

USED ON MODEL
HONEYWELL ENGINES




SCALE **NTS** DATE **11-13-09** SHEET **2 of 4**

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	--	-	-	-



-03
WELDMENT






UNDER REVIEW
URF 19-1194 19.11.01 (VM)

RED BARN MACHINE	
TITLE GAP CHECKING GAUGE; WELDMENT & GAUGE PIN	
DWG NO. H-LTCT30333-03 & 09	REV -
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS .XXX ± .004	METRIC .X ± .1mm
.XX ± .01	FRACTIONS ± 1/32
.X ± .1	ANGLES ± 5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: PERRITT	
APPROVED	
HEAT TREAT -	
FINISH SPEC BLACK OXIDE	
USED ON MODEL	
HONEYWELL ENGINES	
SCALE NTS	DATE 11-13-09
SHEET 3 of 4	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	---	-	-	-



SECTION B-B

-07
PLATE



UNDER REVIEW
URF 19-1194 19.11.01 (VM)

RED BARN MACHINE	
TITLE GAP CHECKING GAUGE; KNOB & PLATE	
DWG NO. H-LTCT30333-05 & 07	REV -
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX $\pm .004$.XX $\pm .01$.X $\pm .1$	METRIC .X $\pm .1\text{mm}$ FRACTIONS $\pm 1/32$ ANGLES $\pm 5^\circ$
DRAWN BY: PERRITT	
APPROVED	
HEAT TREAT -	
FINISH SPEC SEE WELDMENT	
USED ON MODEL	
HONEYWELL ENGINES	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 11-13-09
SHEET 4 of 4	